

**ISSN 2518-1467 (Online),
ISSN 1991-3494 (Print)**

ҚАЗАҚСТАН РЕСПУБЛИКАСЫ
ҰЛТТЫҚ ФЫЛЫМ АКАДЕМИЯСЫНЫҢ

Х А Б А Р Ш Ы С Ы

ВЕСТНИК

НАЦИОНАЛЬНОЙ АКАДЕМИИ НАУК
РЕСПУБЛИКИ КАЗАХСТАН

THE BULLETIN

THE NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN

PUBLISHED SINCE 1944

2

MARCH – APRIL 2019

ALMATY, NAS RK

NAS RK is pleased to announce that Bulletin of NAS RK scientific journal has been accepted for indexing in the Emerging Sources Citation Index, a new edition of Web of Science. Content in this index is under consideration by Clarivate Analytics to be accepted in the Science Citation Index Expanded, the Social Sciences Citation Index, and the Arts & Humanities Citation Index. The quality and depth of content Web of Science offers to researchers, authors, publishers, and institutions sets it apart from other research databases. The inclusion of Bulletin of NAS RK in the Emerging Sources Citation Index demonstrates our dedication to providing the most relevant and influential multidiscipline content to our community.

Қазақстан Республикасы Ұлттық ғылым академиясы "ҚР ҰҒА Хабаршысы" ғылыми журналының Web of Science-тің жаңаланған нұсқасы Emerging Sources Citation Index-те индекстелуге қабылданғанын хабарлайды. Бұл индекстелу барысында Clarivate Analytics компаниясы журналды одан әрі the Science Citation Index Expanded, the Social Sciences Citation Index және the Arts & Humanities Citation Index-ке қабылдау мәселесін қарастыруды. Web of Science зерттеушілер, авторлар, баспашилар мен мекемелерге контент тереңдігі мен сапасын ұсынады. ҚР ҰҒА Хабаршысының Emerging Sources Citation Index-ке енүі біздің қоғамдастық үшін ең өзекті және беделді мультидисциплинарлы контентке адалдығымызды білдіреді.

НАН РК сообщает, что научный журнал «Вестник НАН РК» был принят для индексирования в Emerging Sources Citation Index, обновленной версии Web of Science. Содержание в этом индексировании находится в стадии рассмотрения компанией Clarivate Analytics для дальнейшего принятия журнала в the Science Citation Index Expanded, the Social Sciences Citation Index и the Arts & Humanities Citation Index. Web of Science предлагает качество и глубину контента для исследователей, авторов, издателей и учреждений. Включение Вестника НАН РК в Emerging Sources Citation Index демонстрирует нашу приверженность к наиболее актуальному и влиятельному мультидисциплинарному контенту для нашего сообщества.

Бас редакторы
х. ф. д., проф., КР ҮҒА академигі
М. Ж. Жұрынов

Редакция алқасы:

Абиев Р.Ш. проф. (Ресей)
Абишев М.Е. проф., корр.-мүшесі (Қазақстан)
Аврамов К.В. проф. (Украина)
Аппель Юрген проф. (Германия)
Баймуқанов Д.А. проф., корр.-мүшесі (Қазақстан)
Байтулин И.О. проф., академик (Қазақстан)
Банас Йозеф проф. (Польша)
Берсимбаев Р.И. проф., академик (Қазақстан)
Велесько С. проф. (Германия)
Велихов Е.П. проф., РҒА академигі (Ресей)
Гашимзаде Ф. проф., академик (Әзіrbайжан)
Гончарук В.В. проф., академик (Украина)
Давлетов А.Е. проф., корр.-мүшесі (Қазақстан)
Джрабашян Р.Т. проф., академик (Армения)
Қалимолдаев М.Н. проф., академик (Қазақстан), бас ред. орынбасары
Лаверов Н.П. проф., академик РАН (Россия)
Лупашку Ф. проф., корр.-мүшесі (Молдова)
Моҳд Ҳасан Селамат проф. (Малайзия)
Мырхалықов Ж.У. проф., академик (Қазақстан)
Новак Изабелла проф. (Польша)
Огарь Н.П. проф., корр.-мүшесі (Қазақстан)
Полещук О.Х. проф. (Ресей)
Поняев А.И. проф. (Ресей)
Сагиян А.С. проф., академик (Армения)
Сатубалдин С.С. проф., академик (Қазақстан)
Таткеева Г.Г. проф., корр.-мүшесі (Қазақстан)
Үмбетаев И. проф., академик (Қазақстан)
Хрипунов Г.С. проф. (Украина)
Юлдашбаев Ю.А. проф., РҒА корр-мүшесі (Ресей)
Якубова М.М. проф., академик (Тәжікстан)

«Қазақстан Республикасы Үлттық ғылым академиясының Хабаршысы».

ISSN 2518-1467 (Online),
ISSN 1991-3494 (Print)

Меншіктенуші: «Қазақстан Республикасының Үлттық ғылым академиясы» РКБ (Алматы қ.)

Қазақстан республикасының Мәдениет пен ақпарат министрлігінің Ақпарат және мұрагат комитетінде 01.06.2006 ж. берілген №5551-Ж мерзімдік басылым тіркеуіне қойылу туралы куәлік

Мерзімділігі: жылдан 6 рет.

Тиражы: 2000 дана.

Редакцияның мекенжайы: 050010, Алматы қ., Шевченко көш., 28, 219 бөл., 220, тел.: 272-13-19, 272-13-18,
<http://www.bulletin-science.kz/index.php/en/>

© Қазақстан Республикасының Үлттық ғылым академиясы, 2019

Типографияның мекенжайы: «Аруна» ЖК, Алматы қ., Муратбаева көш., 75.

Г л а в н ы й р е д а к т о р

д. х. н., проф. академик НАН РК

М. Ж. Журинов

Р е д а к ц и о н на я кол л е г и я:

Абиев Р.Ш. проф. (Россия)
Абишев М.Е. проф., член-корр. (Казахстан)
Аврамов К.В. проф. (Украина)
Аппель Юрген проф. (Германия)
Баймukanов Д.А. проф., чл.-корр. (Казахстан)
Байтулин И.О. проф., академик (Казахстан)
Банас Иозеф проф. (Польша)
Берсимбаев Р.И. проф., академик (Казахстан)
Велесько С. проф. (Германия)
Велихов Е.П. проф., академик РАН (Россия)
Гашимзаде Ф. проф., академик (Азербайджан)
Гончарук В.В. проф., академик (Украина)
Давлетов А.Е. проф., чл.-корр. (Казахстан)
Джрабашян Р.Т. проф., академик (Армения)
Калимолдаев М.Н. академик (Казахстан), зам. гл. ред.
Лаверов Н.П. проф., академик РАН (Россия)
Лупашку Ф. проф., чл.-корр. (Молдова)
Мохд Хасан Селамат проф. (Малайзия)
Мырхалыков Ж.У. проф., академик (Казахстан)
Новак Изабелла проф. (Польша)
Огарь Н.П. проф., чл.-корр. (Казахстан)
Полещук О.Х. проф. (Россия)
Поняев А.И. проф. (Россия)
Сагиян А.С. проф., академик (Армения)
Сатубалдин С.С. проф., академик (Казахстан)
Таткеева Г.Г. проф., чл.-корр. (Казахстан)
Умбетаев И. проф., академик (Казахстан)
Хрипунов Г.С. проф. (Украина)
Юлдашбаев Ю.А. проф., член-корр. РАН (Россия)
Якубова М.М. проф., академик (Таджикистан)

«Вестник Национальной академии наук Республики Казахстан».

ISSN 2518-1467 (Online),
ISSN 1991-3494 (Print)

Собственник: РОО «Национальная академия наук Республики Казахстан» (г. Алматы)

Свидетельство о постановке на учет периодического печатного издания в Комитете информации и архивов Министерства культуры и информации Республики Казахстан №5551-Ж, выданное 01.06.2006 г.

Периодичность: 6 раз в год

Тираж: 2000 экземпляров

Адрес редакции: 050010, г. Алматы, ул. Шевченко, 28, ком. 219, 220, тел. 272-13-19, 272-13-18.

www: nauka-nanrk.kz, bulletin-science.kz

© Национальная академия наук Республики Казахстан, 2019

Адрес типографии: ИП «Аруна», г. Алматы, ул. Муратбаева, 75

E d i t o r i n c h i e f

doctor of chemistry, professor, academician of NAS RK

M. Zh. Zhurinov

E d i t o r i a l b o a r d:

Abiyev R.Sh. prof. (Russia)
Abishev M.Ye. prof., corr. member. (Kazakhstan)
Avramov K.V. prof. (Ukraine)
Appel Jurgen, prof. (Germany)
Baimukanov D.A. prof., corr. member. (Kazakhstan)
Baitullin I.O. prof., academician (Kazakhstan)
Joseph Banas, prof. (Poland)
Bersimbayev R.I. prof., academician (Kazakhstan)
Velesco S., prof. (Germany)
Velikhov Ye.P. prof., academician of RAS (Russia)
Gashimzade F. prof., academician (Azerbaijan)
Goncharuk V.V. prof., academician (Ukraine)
Davletov A.Ye. prof., corr. member. (Kazakhstan)
Dzhrbashian R.T. prof., academician (Armenia)
Kalimoldayev M.N. prof., academician (Kazakhstan), deputy editor in chief
Laverov N.P. prof., academician of RAS (Russia)
Lupashku F. prof., corr. member. (Moldova)
Mohd Hassan Selamat, prof. (Malaysia)
Myrkhalykov Zh.U. prof., academician (Kazakhstan)
Nowak Isabella, prof. (Poland)
Ogar N.P. prof., corr. member. (Kazakhstan)
Poleshchuk O.Kh. prof. (Russia)
Ponyaev A.I. prof. (Russia)
Sagyan A.S. prof., academician (Armenia)
Satubaldin S.S. prof., academician (Kazakhstan)
Tatkeyeva G.G. prof., corr. member. (Kazakhstan)
Umbetayev I. prof., academician (Kazakhstan)
Khripunov G.S. prof. (Ukraine)
Yuldasbayev Y.A., prof. corresponding member of RAS (Russia)
Yakubova M.M. prof., academician (Tadzhikistan)

Bulletin of the National Academy of Sciences of the Republic of Kazakhstan.

ISSN 2518-1467 (Online),

ISSN 1991-3494 (Print)

Owner: RPA "National Academy of Sciences of the Republic of Kazakhstan" (Almaty)

The certificate of registration of a periodic printed publication in the Committee of Information and Archives of the Ministry of Culture and Information of the Republic of Kazakhstan N 5551-Ж, issued 01.06.2006

Periodicity: 6 times a year

Circulation: 2000 copies

Editorial address: 28, Shevchenko str., of. 219, 220, Almaty, 050010, tel. 272-13-19, 272-13-18,
<http://nauka-namrk.kz/>, <http://bulletin-science.kz>

© National Academy of Sciences of the Republic of Kazakhstan, 2019

Address of printing house: ST "Aruna", 75, Muratbayev str, Almaty

**BULLETIN OF NATIONAL ACADEMY OF SCIENCES
OF THE REPUBLIC OF KAZAKHSTAN**

ISSN 1991-3494

Volume 2, Number 378 (2019), 237 – 240

<https://doi.org/10.32014/2019.2518-1467.61>

UDK 541.13

A. B. Baeshov¹, G. K. Aibolova², E. Zh. Tuleshova², M. A. Ozler³¹Institute of Fuel, Catalysis and Electrochemistry named after D. V. Sokolsky, Almaty, Kazakhstan,²Kh. A. Yessevi Kazakh-Turkish University, Turkestan, Kazakhstan,³Mugla Sitki Kocman University, Mugla, Turkey.

E-mail: gulnar.aibolova@ayu.edu.kz, elmira.tuleshova@ayu.edu.kz

**ELECTROCHEMICAL OXIDATION OF NITROGEN (II) OXIDE
IN THE NEUTRAL MEDIUM**

Abstract. Electrochemical oxidation of nitrogen oxide was considered in the work. The study was carried out in the sodium sulphate solution. The effects of current density in the anode, electrolyte concentration, granular electrode layer thickness and volume of dispersed gas on the oxidation rate of nitrogen (II) oxide and the current output of its oxidation were investigated. The experiments were carried out in a thermostated electrolysis cell in galvanostatic conditions. A granular graphite electrode was used as anode and graphite plate as a cathode, the duration of the experiments was 0.5 hours. Nitrogen (II) oxide gas was supplied at a certain speed at the bottom of the electrolysis cell. The study discovered that nitrate ions were formed as the main product. Optimal parameters of the electrochemical oxidation of nitrogen oxide were determined.

Keywords: electrochemistry, electrolysis, nitrogen oxide, granular electrode, current density.

One of the main sources of formation of pollutant emissions into the environment is the chemical and metallurgical industries. Therefore, it is crucial today to process production waste and remove valuable components from them. Due to the development of technology, especially non-ferrous metallurgy and motor transport, a large amount of toxic gases are emitted into the atmosphere. These substances have a great impact on the lives of human beings, plants and animals [1-3]. According to the latest data, 12 million tons of nitrogen oxides (calculated for nitrogen) penetrate air per year [4].

It should be noted that the total nitrogen oxides are emitted from various pollutants – 40% from vehicles and other transport engines, 30% from thermal power plants, 20% from fossil fuels and 10% from other sources [4]. Despite the technological difficulties in processing production wastes containing nitrogen (II) oxide, which is formed as a result of various processes, it is important to deactivate them and obtain the desired products.

One of the most effective and simplest methods of waste deactivation is currently an electrochemical method. Subsequently, granular electrodes are used to intensify electrochemical methods. The peculiarity of these electrodes is that the process takes place in the amount of granular electrodes of the electrolysis cell. We conducted a number of studies to deactivate production waste containing nitrogen (II) oxide in an electrochemical way based on the oxidation [5-9].

In this regard, in our work, we considered the possibility of oxidizing nitrogen oxide gas by electrolysis using graphite electrodes in the anode space in sodium sulphate solution.

The study was carried out in a thermostated electrolysis cell of 100 ml in galvanostatic conditions. The granular graphite electrodes (length - 3 ml, diameter - 1.5 ml) were used as anode and graphite plate as a cathode, the duration of the experiments was 0.5 hours. Nitrogen (II) oxide gas was supplied at a certain speed at the bottom of the electrolysis cell. The effects of current density in the anode, electrolyte concentration, granular electrode layer thickness and volume of dispersed gas on the oxidation rate of nitrogen (II) oxide and the current output of its oxidation were investigated. After the electrolysis, nitrate ions formed in the solution were analyzed [10].

The effect of the current density on the oxidation process of nitrogen (II) oxide was considered in the range of 25-400 A/m². As the current density increases, the oxidation rate of nitrogen (II) oxide and the current output of its oxidation decrease (figure 1). Apparently, as the current density increases, alongside with the nitrogen oxide oxidation process in the anode, the proportion of oxygen increases and leaves the reaction zone without interacting with the NO gas.




Figure 1 – The effect of current density on the current output of nitrogen (II) oxide oxidation (1) and on the oxidation rate (2):
 $C_{Na_2SO_4} = 1M$, $\tau = 0.5$ h, $\delta = 2$ cm, $V(No) = 300$ ml




Figure 2 – The effect of the sodium sulphate solution concentration on the current output of nitrogen (II) oxide oxidation (1) and the oxidation rate (2):
 $i = 100$ A/m², $\tau = 0.5$ h, $\delta = 2$ cm, $V(No) = 300$ ml

When we increase the sodium sulphate concentration in the range of 0.1-1.25 mol/l, it is observed that the oxidation rate of nitrogen (II) oxide is slightly reduced (figure 2, curve 2) and the current output increases significantly (figure 2, curve 1). In our view, gas bubbles of nitrogen (II) oxide can be oxidized by interaction with oxygen in the form of atomic and molecules that are formed when they collide with anode or are separated on the electrode surface. As the concentration of the sodium sulphate increases, it is assumed that the small gas bubbles of oxygen gas are formed and the possibility of their participation in the reaction increases.

We believe that the granules we use are charged particles in all volumes, so the height of these electrodes can have a major impact on the oxidation process. Therefore, the effect of the granular electrode layer thickness on the oxidation rate of the nitrogen (II) oxide and the current output of the oxidation in the sodium sulphate solution was studied in the range of 0.5-5 cm, the following result was achieved.




Figure 3 – The effect of the granular electrode layer thickness on the current output of the nitrogen (II) oxide oxidation (1) and the oxidation rate (2): $i = 100$ A/m², $C_{Na_2SO_4} = 1M$, $\tau = 0.5$ h, $V(No) = 300$ ml




Figure 4 – The effect of gas volume on the current output of nitrogen (II) oxide oxidation (1) and the oxidation rate (2): $i = 100$ A/m², $C_{Na_2SO_4} = 1M$, $\tau = 0.5$ h, $\delta = 2$ cm

As the granular electrode layer thickens to a thickness of 2 cm, the oxidation rate of nitrogen (II) oxide is slightly reduced, while the current output increases to 85% (figure 3). The thicker the layer, the less the current output is observed. In our view, as the thickness of the granular electrode layer increases, the contact of the particles weakens and affects the electrode polarization value and the non-inactive zone and bipolar granules emerge in the electrode volume.

Our studies also examined the effects of oxidation reaction and the volume of gas passing through the electrolysis. As can be seen from figure 4, an excessive increase of the gas volume can lead to a reduction in the oxidation rate. In our opinion, the rapidly passing gas, due to the inability to fully oxidize within half an hour, lowers the oxidation rate of the nitrogen oxide. And as the volume of gas is increased, an increase in the current output of the gas oxidation is observed. Because, according to the law of mass action, the higher the volume of the reaction substances, the easier a chemical reaction proceeds. In our case, this is the case.

In conclusion, the anode oxidation of nitrogen (II) oxide gas was investigated using granular electrodes. The peculiarity of these electrodes is that the process takes place in granular electrodes with a developed surface area. During the oxidation, the formation of the nitrates ions was determined. The results of the study can be used for the development of technology for waste decontamination with nitrogen (II) oxide.

А. Б. Баевов¹, Г. Т. Айболова², Э. Ж. Тулешова², М. А. Озлер³

¹«Д. В. Сокольский атындағы жанармай, катализ және электрохимия институты» АҚ, Алматы, Қазақстан,

²Қожа Ахмет Ясауи атындағы Халықаралық қазак-түрк университеті, Түркістан, Қазақстан,

³Мугла Сылкы Кочман университеті, Мугла, Түркия

АЗОТ (II) ОКСИДІН ЭЛЕКТРОХИМИЯЛЫҚ ЖОЛМЕН НЕЙТРАЛ ОРТАДА ТОТЫҚТЫРУ

Аннотация. Жұмыста азот оксидін электрохимиялық жолмен тотықтыру мүмкіндігі қарастырылды. Зерттеу жұмыстары натрий сульфаты ерітіндісінде жүргізілді. Азот (II) оксидінің тотығуының ток бойынша шығымына – анодтағы ток тығыздығының, электролит концентрациясының, түйіршікті электродтар қабаты қалындығының және жіберілген газ көлемінің әсерлері қарастырылды. Тәжірибелер гальваностатикалық жағдайда термостатталған электролизерде жүргізілді. Анод ретінде – түйіршікті графит электродтары, ал катод ретінде – графит пластинкасы қолданылды, тәжірибелердің ұзактығы 0,5 сағ. Азот (II) оксиді газы электролизердің төмөнгі жағынан белгілі бір жылдамдықпен беріліп отырылды. Зерттеу барысында негізгі өнім ретінде нитрат иондары түзілетін анықталды. Азот оксидінің электрохимиялық жолмен тотықтыруының оңтайлы параметрлері анықталды.

Түйін сөздер: электрохимия, электролиз, азот оксиді, түйіршікті электрод, ток тығыздығы.

А. Б. Баевов¹, Г. Т. Айболова², Э. Ж. Тулешова², М. А. Озлер³

¹АО «Институт Топлива, катализа и электрохимии им. Д. В. Сокольского», Алматы, Казахстан,

²Международный казахско-турецкий университет им. Ходжи Ахмеда Ясави, Туркестан, Казахстан,

³Университет Муглы им. Сылкы Кочман, Мугла, Турция

ЭЛЕКТРОХИМИЧЕСКОЕ ОКИСЛЕНИЕ ОКСИДА АЗОТА (II) В НЕЙТРАЛЬНОЙ СРЕДЕ

Аннотация. В работе изучен процесс электрохимического окисления оксида азота. Исследования проводились в растворе сульфата натрия. На выход по току и степень окисления оксида азота (II) изучено влияние плотности тока на аноде, концентрация электролита, толщина слоя кускового электрода и объем газа. Опыты проводились в гальваностатических условиях в термостатированном электролизере. В качестве анода использовали кусковой графитовый электрод, а в качестве катода графитовую пластинку, продолжительность электролиза 0,5 час. Газ оксид азота (II) подавали с нижней части с одинаковой скоростью. Установлено, что основным продуктом окисления являются нитрат-ионы. Определены оптимальные параметры электрохимического окисления оксида азота.

Ключевые слова: электрохимия, электролиз, оксид азота, кусковой электрод, плотность тока.

Information about authors:

Baeshov Abduali Baeshovich, doctor of chemical sciences, academic of the National Academy of Sciences of Kazakhstan, head of the laboratory D. V. Sokolsky Institute of Fuel, Catalysis and Electrochemical, Almaty, Kazakhstan; bayeshov@mail.ru; <https://orcid.org/0000-0003-0745-039X>

Aibolova Gulnar Kurbantayevna, candidate of technical sciences, Head of the Department of Laboratory Studies Kh. A. Yassawi Kazakh-Turkish University, Turkestan, Kazakhstan; gulnar.aibolova@ayu.edu.kz; <https://orcid.org/0000-0003-0322-9217>

Tuleshova Elmira Zhanbirbayevna, Candidate of Chemistry, Associate Professor, Deputy Dean of the Medical Faculty Kh. A. Yassawi Kazakh-Turkish University, Turkestan, Kazakhstan; elmira.tuleshova@ayu.edu.kz; <https://orcid.org/0000-0003-2249-9570>

Ozler Mehmet Ali, doctor, professor Mugla Sitki Kocman University, Mugla, Turkey; aozler@mu.edu.tr

REFERENCES

- [1] Bayeshov A.B. Ecology and clean water problems [Ekologiya jäne taza su problemalari]. Almaty: Welders, **2003**. 210 p. (in Kaz.).
- [2] Akbasova A.Zh., Sainova G.A. Ecology: a textbook for higher education [Ekologiya: joğarı oqw ornına arnalǵan oqw quralı]. Almaty: Bastau publishing house, **2003**. 292 p. (in Kaz.).
- [3] Sadanova A.K., Abzhalelov A.B., Taubekova G.K., Askarova U.B. Ecology [Ekologiya]. Almaty, **2001**. 172 p. (in Kaz.).
- [4] Bayeshov A.B., Aitbaev N. Almaty, chemistry at school [Ximiya mektepte]. **2015**. N 3. P. 94-97 (in Kaz.).
- [5] Aibolova G.K., Bayeshov A.B. Industry of Kazakhstan [Promışlennost Kazaxstana]. Almaty, **2005**. N 5. P. 93-94 (in Kaz.).
- [6] Bayeshov A.B., Aibolova G.K., Bayeshova A.K. Oxidation of oxide nitrogen (II) [Sposob okisleniya oksida azot (II)]. Preliminary Patent of the Republic of Kazakhstan N 18716 [Predvaritelnyi patent Respubliki Kazakhstan] (in Rus.).
- [7] Aibolova G.K., Bayeshov A.B. Reports of the National Academy of Sciences of the Republic of Kazakhstan [QR UĞA Bayandamalari]. Almaty, **2005**. N 6. P. 27-31 (in Kaz.).
- [8] Aibolova G.K., Tuleshova E.Zh. // Russian Journal of Physical Chemistry A. **2018**. Vol. 92, N 11. P. 2348-2350. DOI 10.1134/S003602441811002X (in Eng.).
- [9] Bayeshov A.B., Aibolova G.K., Bayeshova A.K. Reports of the National Academy of Sciences of the Republic of Kazakhstan [QR UĞA Bayandamalari]. Almaty, **2007**. N 2(362). P. 10-13 (in Kaz.).
- [10] Uniform Methods for Analyze Water [Wnificirovannie metodi analiza vod]. Sub. dr. Prof. Yu. Loury. M.: Chemistry, **1973**. 376 p. (in Rus.).
- [11] Druzhnik L.I. Efficient use of natural gas in industrial environments: a Handbook [Effektivnoye ispol'zovaniye prirodnogo gaza v promyshlennykh usloviyakh: Spravochnik]. M.: Energoatomizdat, **1992** (in Rus.).
- [12] Balabekov O.S., Baltabaev L.Sh. Gas cleaning in the chemical industry. Processes and devices [Ochistka gazov v khimicheskoy promyshlennosti. Protsessy i apparaty]. M.: Chemistry, **1991**. 256 p. (in Rus.).
- [13] Hill S.C., Smoot L.D. Modeling of nitrogen oxides formation and destruction in combustion systems // Prog. Energ. Comb. Sci. **2000**. Vol. 26. P. 417 (in Eng.).
- [14] Lange M. Vorschriften und technische Habnahmen zur Schwefelfioxid-und Stickstoffoxid-Emission-sminderung // Technische Mitteilungen. **1985**. Vol. 78, N 1/2. P. 3-8 (in Eng.).
- [15] Tororoshnikov N. Environmental protection technique [Tekhnika zashchity okrughayushchey sredy]. M.: Chemistry, **1981**. P. 211 (in Rus.).
- [16] Belov P.S., Golubaev I.A., Nizova S.A. Ecology of production of chemical products from petroleum hydrocarbons and gas [Ekologiya proizvodstva khimicheskikh produktov iz uglevodorofov nefti i gaza]. M.: Chemistry, **1991**. 56 p. (in Rus.).
- [17] Wetstone S. Acid Rain: The International Perspective // Environmental Policy and Law. October 1983. Vol. 11, N 1/2. P. 31-33 (in Eng.).
- [18] The trouble N.V., Nedospasov A.A. Bioorganic chemistry [Bioorganicheskaya khimiya]. **2006**. Vol. 32, N 1. P. 3-26 (in Rus.).
- [19] Gladchenko I.A., Kashevsky A.V., Khudyakova R.V., Safronov A.Yu. Electrochemistry [Elektrokhimiya]. **2005**. Vol. 41, N 11. P. 1386-1390 (in Rus.).
- [20] Proskuryakov S.Ya., Konoplyannikov A.G, Skvortsov V.G., Mandurjin A.A, Fedoseev V.M. Advances in chemistry [Uspekhi khimii]. **2005**. Vol. 74, N 9. P. 939-952 (in Rus.).

Publication Ethics and Publication Malpractice in the journals of the National Academy of Sciences of the Republic of Kazakhstan

For information on Ethics in publishing and Ethical guidelines for journal publication see <http://www.elsevier.com/publishingethics> and <http://www.elsevier.com/journal-authors/ethics>.

Submission of an article to the National Academy of Sciences of the Republic of Kazakhstan implies that the described work has not been published previously (except in the form of an abstract or as part of a published lecture or academic thesis or as an electronic preprint, see <http://www.elsevier.com/postingpolicy>), that it is not under consideration for publication elsewhere, that its publication is approved by all authors and tacitly or explicitly by the responsible authorities where the work was carried out, and that, if accepted, it will not be published elsewhere in the same form, in English or in any other language, including electronically without the written consent of the copyright-holder. In particular, translations into English of papers already published in another language are not accepted.

No other forms of scientific misconduct are allowed, such as plagiarism, falsification, fraudulent data, incorrect interpretation of other works, incorrect citations, etc. The National Academy of Sciences of the Republic of Kazakhstan follows the Code of Conduct of the Committee on Publication Ethics (COPE), and follows the COPE Flowcharts for Resolving Cases of Suspected Misconduct (<http://publicationethics.org/files/u2/New%20Code.pdf>). To verify originality, your article may be checked by the Cross Check originality detection service <http://www.elsevier.com/editors/plagdetect>.

The authors are obliged to participate in peer review process and be ready to provide corrections, clarifications, retractions and apologies when needed. All authors of a paper should have significantly contributed to the research.

The reviewers should provide objective judgments and should point out relevant published works which are not yet cited. Reviewed articles should be treated confidentially. The reviewers will be chosen in such a way that there is no conflict of interests with respect to the research, the authors and/or the research funders.

The editors have complete responsibility and authority to reject or accept a paper, and they will only accept a paper when reasonably certain. They will preserve anonymity of reviewers and promote publication of corrections, clarifications, retractions and apologies when needed. The acceptance of a paper automatically implies the copyright transfer to the National Academy of Sciences of the Republic of Kazakhstan.

The Editorial Board of the National Academy of Sciences of the Republic of Kazakhstan will monitor and safeguard publishing ethics.

Правила оформления статьи для публикации в журнале смотреть на сайте:

www:nauka-nanrk.kz

ISSN 2518-1467 (Online), ISSN 1991-3494 (Print)

<http://www.bulletin-science.kz/index.php/en/>

Редакторы М. С. Ахметова, Т. М. Апендиев, Д. С. Аленов
Верстка на компьютере Д. Н. Калкабековой

Подписано в печать 12.04.2019.
Формат 60x881/8. Бумага офсетная. Печать – ризограф.
16,0 п.л. Тираж 500. Заказ 2.